

**Table 2: ESRD Dialysis Prevalence - One Year Statistics
As of 1/1/2013 - 12/31/2013**

Age Group	DC	MD	VA	WV	Other	Total
00-04	1	11	10	1	0	23
05-09	2	5	3	0	0	10
10-14	1	6	6	0	1	14
15-19	2	12	13	2	2	31
20-24	17	71	87	14	8	197
25-29	29	150	164	14	7	364
30-34	54	218	287	40	7	606
35-39	92	288	390	57	7	834
40-44	142	487	566	87	21	1,303
45-49	147	698	804	119	21	1,789
50-54	221	935	1,066	177	36	2,435
55-59	282	1,098	1,380	256	51	3,067
60-64	285	1,221	1,453	269	49	3,277
65-69	218	1,215	1,489	297	45	3,264
70-74	202	1,037	1,243	276	46	2,804
75-79	107	857	1,071	203	50	2,288
80-84	107	573	759	155	25	1,619
>=85	76	409	433	90	16	1,024
Total	1,985	9,291	11,224	2,057	392	24,949
Gender	DC	MD	VA	WV	Other	Total
Female	884	4,079	4,939	903	157	10,962
Male	1,101	5,212	6,285	1,154	235	13,987
Total	1,985	9,291	11,224	2,057	392	24,949
Ethnicity	DC	MD	VA	WV	Other	Total
Hispanic or Latino	119	299	535	14	8	975
Not Hispanic or Latino	1,865	8,968	10,673	2,043	380	23,929
Not Specified	1	24	16	0	4	45
Total	1,985	9,291	11,224	2,057	392	24,949
Race	DC	MD	VA	WV	Other	Total
American Indian/Alaska Native	1	4	7	1	1	14
Asian	12	233	389	3	7	644
Black or African American	1,735	6,028	6,312	244	139	14,458
More than one race selected	2	6	5	2	0	15
Native Hawaiian or Other Pacific Islander	3	47	84	4	2	140
White	231	2,954	4,413	1,803	241	9,642
Not Specified	1	19	14	0	2	36
Total	1,985	9,291	11,224	2,057	392	24,949
Primary Diagnosis	DC	MD	VA	WV	Other	Total
Acquired obstructive uropathy	7	40	67	19	2	135
Acute interstitial nephritis	2	15	20	4	0	41

AIDS nephropathy	57	134	54	4	2	251
Amyloidosis	2	17	24	6	0	49
Analgesic abuse	1	6	11	1	0	19
Cholesterol emboli, renal emboli	0	8	11	3	1	23
Chronic interstitial nephritis	9	54	63	15	1	142
Chronic pyelonephritis, reflux nephropathy	2	17	32	10	2	63
Complications of other specified transplanted organ	0	1	1	1	0	3
Complications of transplanted heart	1	4	7	1	0	13
Complications of transplanted intestine	0	2	0	0	0	2
Complications of transplanted kidney	8	134	213	41	10	406
Complications of transplanted liver	0	1	19	4	3	27
Complications of transplanted lung	0	0	1	2	0	3
Complications of transplanted organ unspecified	1	7	3	2	0	13
Congenital nephrotic syndrome	0	9	3	1	0	13
Congenital obstruction of ureterpelvic junction	2	7	6	2	0	17
Congenital obstruction of uretrovesical junction	0	2	4	0	1	7
Cystinosis	0	1	2	0	0	3
Dense deposit disease, MPGN type 2	0	3	1	3	0	7
Diabetes with renal manifestations Type 1	51	259	325	61	14	710
Diabetes with renal manifestations Type 2	583	2,997	4,042	920	138	8,680
Drash syndrome, mesangial sclerosis	2	7	1	1	0	11
Etiology uncertain	114	529	539	88	23	1,293
Fabry's disease	0	0	2	0	0	2
Focal Glomerulonephritis, focal sclerosing GN	60	304	398	45	10	817
Glomerulonephritis (GN) (histologically not examined)	35	260	294	50	5	644
Goodpasture's syndrome	0	4	16	4	0	24
Gouty nephropathy	0	4	4	0	0	8
Hemolytic uremic syndrome	0	9	9	4	2	24
Henoch-Schonlein syndrome	0	2	4	1	0	7
Hepatorenal syndrome	1	5	13	6	1	26
Hereditary nephritis, Alport's syndrome	0	12	15	7	1	35
Hypertension: Unspecified with renal failure	861	3,314	3,640	480	97	8,392
IgA nephropathy, Berger's disease (proven by immunofluorescence)	8	36	80	16	5	145
IgM nephropathy (proven by immunofluorescence)	0	5	6	1	0	12
Lead nephropathy	0	0	1	0	0	1
Lupus erythematosus, (SLE nephritis)	23	112	146	14	5	300
Lymphoma of kidneys	1	1	0	1	1	4
Medullary cystic disease, including nephronophthisis	0	0	5	0	0	5
Membranoproliferative GN type 1, diffuse MPGN	4	15	36	4	1	60
Membranous nephropathy	5	33	55	8	4	105
Multiple myeloma	7	26	39	8	2	82
Nephrolithiasis	1	15	17	6	0	39
Nephropathy caused by other agents	1	19	30	3	4	57

Nephropathy due to heroin abuse and related drugs	0	5	2	0	0	7
Other (congenital malformation syndromes)	1	4	7	1	2	15
Other Congenital obstructive uropathy	2	17	13	5	0	37
Other disorders of calcium metabolism	0	3	2	0	0	5
Other immuno proliferative neoplasms (including light chain nephropathy)	0	4	7	1	1	13
Other proliferative GN	6	29	37	4	5	81
Other renal disorders	20	91	94	12	3	220
Other Vasculitis and its derivatives	6	10	15	3	2	36
Polyarteritis	0	2	9	1	0	12
Polycystic kidneys, adult type (dominant)	23	150	216	62	8	459
Polycystic, infantile (recessive)	1	2	4	3	0	10
Post infectious GN, SBE	0	5	3	4	0	12
Post partum renal failure	0	2	3	0	0	5
Primary oxalosis	0	0	2	0	0	2
Prune belly syndrome	0	1	1	0	1	3
Radiation nephritis	0	1	1	0	0	2
Renal artery occlusion	1	3	7	4	2	17
Renal artery stenosis	2	19	56	22	3	102
Renal hypoplasia, dysplasia, oligonephronia	1	10	21	3	0	35
Renal tumor (benign)	1	2	1	0	0	4
Renal tumor (malignant)	3	18	36	5	1	63
Renal tumor (unspecified)	0	1	1	1	0	3
Scleroderma	0	4	7	2	0	13
Secondary GN, other	1	9	8	2	1	21
Sickle cell disease/anemia	2	10	13	1	0	26
Sickle cell trait and other sickle cell (HbS/Hb other)	0	1	1	0	0	2
Traumatic or surgical loss of kidney(s)	1	12	10	1	1	25
Tuberous sclerosis	0	6	1	1	0	8
Tubular necrosis (no recovery)	10	113	132	36	8	299
Urinary tract tumor (malignant)	0	3	6	2	0	11
Urinary tract tumor (unspecified)	0	1	0	0	0	1
Urolithiasis	0	2	3	0	0	5
Wegener's granulomatosis	0	8	36	9	1	54
With lesion of rapidly progressive GN	1	14	18	7	0	40
Not Specified	54	299	192	18	18	581
Total	1,985	9,291	11,224	2,057	392	24,949

When a category count = 0, the category may not be displayed on the report.

****Tables are taken directly from CMS CROWNWeb. The counts are preliminary and subject to change; their accuracy has not been verified.***